

International Specifications

Item	Inside Diameter (ID) mm.		Cross Section (C/S) mm.	American Standard	British Standards	
				USA	United Kingdom	
					AS 568A	BS-1806
1	0.74	X	1.02	AS#001	001*	
2	1.78	X	1.02		606*	
3	2.54	x	1.02		607*	
4	1.07	X	1.27	AS#002	002*	
5	4.70	X	1.42	AS#901	901*	
6	1.42	X	1.52	AS#003	003*	
7	3.10	X	1.60			0031-16-505
8	4.10	X	1.60			0041-16-506
9	5.10	X	1.60			0051-16-507
10	6.10	X	1.60			0061-16-508
11	7.10	X	1.60			0071-16-509
12	8.10	X	1.60			0081-16-510
13	9.10	X	1.60			0091-16-511
14	10.10	X	1.60			0101-16-512
15	11.10	X	1.60			0111-16-513
16	12.10	X	1.60			0121-16-514
17	13.10	X	1.60			0131-16-515
18	14.10	X	1.60			0141-16-516
19	15.10	X	1.60			0151-16-517
20	16.10	X	1.60			0161-16-518
21	17.10	X	1.60			0171-16-519
22	18.10	X	1.60			0181-16-520
23	19.10	X	1.60			0191-16-521
24	22.10	X	1.60			0221-16-524
25	25.10	X	1.60			0251-16-525
26	27.10	X	1.60			0271-16-526
27	29.10	X	1.60			0291-16-527
28	32.10	X	1.60			0321-16-528
29	35.10	X	1.60			0351-16-529
30	37.10	X	1.60			0371-16-530
31	6.07	X	1.63		902*	
32	7.65	X	1.63		903*	
33	1.78	X	1.78	AS#004	004*	
34	2.57	X	1.78	AS#005	005*	
35	2.90	X	1.78	AS#006	006*	
36	3.17	X	1.78		801*	
37	3.68	X	1.78	AS#007	007*	
38	4.47	X	1.78	AS#008	008*	
39	4.76	X	1.78		802*	
40	5.28	X	1.78	AS#009	009*	
41	6.07	X	1.78	AS#010	010*	
42	6.35	X	1.78		803*	
43	6.75	X	1.78		610*	
44	7.65	X	1.78	AS#011	011*	
45	7.94	X	1.78		804*	
46	8.73	X	1.78		611*	
47	9.25	X	1.78	AS#012	012*	
48	9.52	X	1.78			
49	10.82	X	1.78	AS#013	013*	
50	11.11	X	1.78		806*	
51	12.42	X	1.78	AS#014	014*	
52	14.00	X	1.78	AS#015	015*	
53	15.60	X	1.78	AS#016	016*	
54	17.17	X	1.78	AS#017	017*	
55	18.77	X	1.78	AS#018	018*	
56	20.35	X	1.78	AS#019	019*	
57	21.95	X	1.78	AS#020	020*	
58	23.52	X	1.78	AS#021	021*	
59	25.12	X	1.78	AS#022	022*	
60	26.70	X	1.78	AS#023	023*	
61	28.30	X	1.78	AS#024	024*	
62	29.87	X	1.78	AS#025	025*	
63	31.47	X	1.78	AS#026	026*	
64	33.05	X	1.78	AS#027	027*	
65	34.65	X	1.78	AS#028	028*	
66	36.27	X	1.78		517*	
67	37.82	X	1.78	AS#029	029*	
68	39.45	X	1.78		519*	
69	41.00	X	1.78	AS#030	030*	
70	44.17	X	1.78	AS#031	031*	

International Specifications

Item	Inside Diameter (ID) mm.		Cross Section (C/S) mm.	American Standard	British Standards	
				USA	United Kingdom	
					AS 568A	BS-1806
71	47.35	X	1.78	AS#032	032*	
72	50.52	X	1.78	AS#033	033*	
73	53.70	X	1.78	AS#034	034*	
74	56.87	X	1.78	AS#035	035*	
75	60.04	X	1.78	AS#036	036*	
76	63.22	X	1.78	AS#037	037*	
77	66.40	X	1.78	AS#038	038*	
78	69.57	X	1.78	AS#039	039*	
79	72.75	X	1.78	AS#040	040*	
80	75.92	X	1.78	AS#041	041*	
81	79.00	X	1.78		532*	
82	82.27	X	1.78	AS#042	042*	
83	85.34	X	1.78		534*	
84	88.62	X	1.78	AS#043	043*	
85	91.70	X	1.78		536*	
86	94.97	X	1.78	AS#044	044*	
87	98.05	X	1.78		538*	
88	101.32	X	1.78	AS#045	045*	
89	104.40	X	1.78		540*	
90	107.67	X	1.78	AS#046	046*	
91	110.74	X	1.78		542*	
92	114.02	X	1.78	AS#047	047*	
93	117.10	X	1.78		544*	
94	120.37	X	1.78	AS#048	048*	
95	123.44	X	1.78		546*	
96	126.72	X	1.78	AS#049	049*	
97	129.40	X	1.78		548*	
98	133.07	X	1.78	AS#050	050*	
99	135.76	X	1.78	AS#550	550*	
100	138.94	X	1.78		551*	
101	142.11	X	1.78		552*	
102	145.29	X	1.78		553*	
103	148.46	X	1.78		554*	
104	151.64	X	1.78		555*	
105	154.81	X	1.78		556*	
106	158.00	X	1.78		557*	
107	161.16	X	1.78		558*	
108	164.34	X	1.78		559*	
109	167.51	X	1.78		560*	
110	170.69	X	1.78		561*	
111	173.87	X	1.78		562*	
112	8.92	X	1.83		904*	
113	10.52	X	1.83		905*	
114	11.89	X	1.98		906*	
115	13.46	X	2.08		907*	
116	16.36	X	2.21		908*	
117	3.60	X	2.40			0036-24*-630
118	4.60	X	2.40			0046-24*-631
119	5.60	X	2.40			0056-24*-632
120	6.60	X	2.40			0066-24*-633
121	7.60	X	2.40			0076-24*-634
122	8.60	X	2.40			0086-24*-635
123	9.60	X	2.40			0096-24*-636
124	10.60	X	2.40			0106-24*-637
125	11.60	X	2.40			0116-24*-638
126	12.60	X	2.40			0126-24*-639
127	13.60	X	2.40			0136-24*-640
128	14.60	X	2.40			0146-24*-641
129	15.60	X	2.40			0156-24*-642
130	16.60	X	2.40			0166-24*-643
131	17.60	X	2.40			0176-24*-644
132	18.60	X	2.40			0186-24*-645
133	19.60	X	2.40			0196-24*-646
134	20.60	X	2.40			0206-24*-670
135	21.60	X	2.40			0216-24*-647
136	24.60	X	2.40			0246-24*-648
137	27.60	X	2.40			0276-24*-649
138	29.60	X	2.40			0296-24*-650
139	31.60	X	2.40			0316-24*-651
140	34.60	X	2.40			0346-24*-652

International Specifications

Item	Inside Diameter (ID) mm.		Cross Section (C/S) mm.	American Standard	British Standards	
				USA	United Kingdom	
					AS 568A	BS-1806
561	139.30	X	5.70			1393-57-845*
562	144.30	X	5.70			1443-57-846*
563	149.30	X	5.70			1493-57-847*
564	154.30	X	5.70			1543-57-848*
565	159.30	X	5.70			1593-57-849*
566	164.30	X	5.70			1643-57-850
567	169.30	X	5.70			1693-57-851
568	174.30	X	5.70			1743-57-852
569	179.30	X	5.70			1793-57-853
570	184.30	X	5.70			1843-57-854
571	189.30	X	5.70			1893-57-855
572	194.30	X	5.70			1943-57-856
573	199.30	X	5.70			1993-57-857
574	209.30	X	5.70			2093-57-859
575	219.30	X	5.70			2193-57-860
576	229.30	X	5.70			2293-57-861
577	239.30	X	5.70			2393-57-862
578	249.30	X	5.70			2493-57-863
579	259.30	X	5.70			2593-57-864
580	269.30	X	5.70			2693-57-865
581	279.30	X	5.70			2793-57-866
582	289.30	X	5.70			2893-57-867
583	299.30	X	5.70			2993-57-868
584	309.30	X	5.70			3093-57-890
585	319.30	X	5.70			3193-57-869
586	339.30	X	5.70			3393-57-870
587	359.30	X	5.70			3593-57-871
588	379.30	X	5.70			3793-57-872
589	389.30	X	5.70			3893-57-891
590	399.30	X	5.70			3993-57-873
591	419.30	X	5.70			4193-57-874
592	439.30	X	5.70			4393-57-875
593	459.30	X	5.70			4593-57-876
594	479.30	X	5.70			4793-57-877
595	489.30	X	5.70			4893-57-892
596	499.30	X	5.70			4993-57-878
597	113.67	X	6.99	AS#425	425*	
598	114.70	X	6.99	AS#624	624*	
599	116.84	X	6.99	AS#426	426*	
600	120.02	X	6.99	AS#427	427*	
601	123.19	X	6.99	AS#428	428*	
602	124.60	X	6.99	AS#625	625*	
603	126.37	X	6.99	AS#429	429*	
604	129.54	X	6.99	AS#430	430*	
605	132.72	X	6.99	AS#431	431*	
606	134.50	X	6.99	AS#626	626*	
607	135.89	X	6.99	AS#432	432*	
608	139.07	X	6.99	AS#433	433*	
609	142.24	X	6.99	AS#434	434*	
610	145.42	X	6.99	AS#435	425*	
611	148.59	X	6.99	AS#436	436*	
612	151.77	X	6.99	AS#437	437*	
613	155.60	X	6.99	AS#872	872*	
614	158.12	X	6.99	AS#438	438*	
615	159.50	X	6.99	AS#627	627*	
616	161.90	X	6.99	AS#874	874*	
617	164.47	X	6.99	AS#439	439*	
618	166.70	X	6.99	AS#628	628*	
619	168.30	X	6.99	AS#876	876*	
620	170.82	X	6.99	AS#440	440*	
621	174.60	X	6.99	AS#878	878*	
622	177.17	X	6.99	AS#441	441*	
623	181.00	X	6.99	AS#880	880*	
624	183.52	X	6.99	AS#442	442*	
625	187.30	X	6.99	AS#882	882*	
626	189.87	X	6.99	AS#443	443*	
627	193.70	X	6.99	AS#884	884*	
628	196.22	X	6.99	AS#444	444*	
629	200.00	X	6.99	AS#886	886*	
630	202.57	X	6.99	AS#445	445*	

International Specifications

Item	Inside Diameter (ID) mm.		Cross Section (C/S) mm.	American Standard	British Standards	
				USA	United Kingdom	
					AS 568A	BS-1806
631	208.92	X	6.99	AS#674	674*	
632	215.27	X	6.99	AS#446	446*	
633	221.62	X	6.99	AS#676	676*	
634	227.97	X	6.99	AS#447	447*	
635	234.32	X	6.99	AS#678	678*	
636	240.67	X	6.99	AS#448	448*	
637	247.00	X	6.99	AS#680	680*	
638	253.37	X	6.99	AS#449	449*	
639	259.70	X	6.99	AS#682	682*	
640	266.07	X	6.99	AS#450	450*	
641	272.40	X	6.99	AS#684	684*	
642	278.77	X	6.99	AS#451	451*	
643	285.10	X	6.99	AS#686	686*	
644	291.47	X	6.99	AS#452	452*	
645	297.80	X	6.99	AS#688	688*	
646	304.17	X	6.99	AS#453	453*	
647	310.50	X	6.99	AS#648	648*	
648	316.87	X	6.99	AS#454	454*	
649	323.20	X	6.99	AS#649	649*	
650	329.57	X	6.99	AS#455	455*	
651	335.90	X	6.99	AS#650	650*	
652	342.27	X	6.99	AS#456	456*	
653	354.97	X	6.99	AS#457	457*	
654	367.67	X	6.99	AS#458	458*	
655	380.37	X	6.99	AS#459	459*	
656	393.07	X	6.99	AS#460	460*	
657	405.26	X	6.99	AS#461	461*	
658	417.96	X	6.99	AS#462	462*	
659	430.66	X	6.99	AS#463	463*	
660	443.36	X	6.99	AS#464	464*	
661	456.06	X	6.99	AS#465	465*	
662	468.76	X	6.99	AS#466	466*	
663	481.46	X	6.99	AS#467	467*	
664	494.16	X	6.99	AS#468	468*	
665	506.86	X	6.99	AS#469	469*	
666	532.26	X	6.99	AS#470	470*	
667	557.66	X	6.99	AS#471	471*	
668	582.68	X	6.99	AS#472	472*	
669	608.08	X	6.99	AS#473	473*	
670	633.48	X	6.99	AS#474	474*	
671	658.88	X	6.99	AS#475	475*	
672	144.10	X	8.40			1441-84-905*
673	149.10	X	8.40			1491-84-906*
674	154.10	X	8.40			1541-84-907*
675	159.10	X	8.40			1591-84-908*
676	164.10	X	8.40			1641-84-909*
677	169.10	X	8.40			1691-84-910*
678	174.10	X	8.40			1741-84-911*
679	179.10	X	8.40			1791-84-912*
680	184.10	X	8.40			1841-84-913*
681	189.10	X	8.40			1891-84-914*
682	194.10	X	8.40			1941-84-915*
683	199.10	X	8.40			1991-84-916*
684	204.10	X	8.40			2041-84-922*
685	209.10	X	8.40			2091-84-917*
686	219.10	X	8.40			2191-84-918*
687	229.10	X	8.40			2291-84-919*
688	234.10	X	8.40			2341-84-923
689	239.10	X	8.40			2391-84-920*
690	249.10	X	8.40			2491-84-921*